

Figure 1




Figure 2

The Effect of Mg and Mn ions on the incorporation of base labeled nucleotides and phosphate labeled nucleotides




Figure 3

Incorporation rate vs. MnCl_2 concentration, at 5 mM MgCl_2 ,
based on change in slope of REG fluorescence




Figure 4

Incorporation rate (initial slope) vs. $[\text{MnCl}_2]$





Figure 5

Docket No.: PB0311
Filing Date: February 5, 2004
Inventor(s): S. Kumar, et al.
Title: Terminal-Phosphate-Labeled Nucleotides with New Linkers

No misincorporation of dCTP-DAH-ROX by Phi 29 exo^- using Mn^{++}

(at saturating dCTP-ROX, 25 μM)



Primer/template

5' - Cy5...ATCCG

3' -TAGGCGACTG...

Figure 6

Docket No.: PB0311
Filing Date: February 5, 2004
Inventor(s): S. Kumar, et al.
Title: Terminal-Phosphate-Labeled Nucleotides with New Linkers

Incorporation of dT4P-DDAO by different polymerases in the presence of Mn^{2+} , Mg^{2+} and both Mn^{2+} and Mg^{2+}




Figure 7A




Figure 7D




Figure 7B




Figure 7E




Figure 7C

DNA synthesis using four DDAO analogs

1 μ M each of dA-DDAO, dG-DDAO, dC-DDAO, dT-DDAO




Figure 8

Docket No.: PB0311
 Filing Date: February 5, 2004
 Inventor(s): S. Kumar, et al.
 Title: Terminal-Phosphate-Labeled Nucleotides with New Linkers

Analog incorporation by Δ Tts depends on linker




Figure 9